

IN THE CLAIMS:

The following is a complete listing of the claims, and replaces all earlier listings and all earlier versions.

1. (Currently Amended) An image processing apparatus comprising:
image obtaining means for obtaining a second image of a
predetermined aspect size ratio from a first image on the basis of an aspect size ratio of said
first image; [[and]]

a |
reducing means for reducing the second image obtained by said
image obtaining means; and
associating means for associating the second image reduced by said
reducing means with the first image.

2. (Currently Amended) An apparatus according to claim 1, wherein
when the aspect size ratio of said the first image is out of a predetermined range, said image
obtaining means obtains said the second image.

3. (Currently Amended) An apparatus according to claim 2, wherein
said image obtaining means generates an image of the aspect size ratio of said the
predetermined value as said the second image.

4. (Currently Amended) An apparatus according to claim 1, wherein said reducing means reduces the second image obtained by said image obtaining means at a same reduction ratio in both vertical and lateral directions of said the second image.

5. (Original) An apparatus according to claim 1, further comprising adding means for adding specific information to an arbitrary end section of the reduced image obtained by said reducing means.

6. (Currently Amended) An apparatus according to claim 5, wherein said reducing means obtains said the reduced image such that the reduced image to which said the specific information was added by said adding means goes in an image frame of a predetermined size.

7. (Currently Amended) An apparatus according to claim 5, wherein said adding means adds the specific information to both end sections in the longitudinal direction between the vertical and lateral directions of said the reduced image.

8. (Currently Amended) An apparatus according to claim 5, wherein said adding means uses a reduced image to which said the specific information was added as an image for display.

9. (Currently Amended) An image processing apparatus comprising:
image obtaining means for obtaining at least two images of a second image
in an arbitrary area portion of a first image and a third image in the other area portion on the
basis of an aspect size ratio of said the first image; [[and]]

reducing means for reducing said the second and third images obtained by
said image obtaining means at different reduction ratios, respectively;

synthesizing means for synthesizing the second and third images to obtain a
synthesized image; and

associating means for associating the synthesized image obtained by said
synthesizing means with the first image.

10. (Currently Amended) An apparatus according to claim 9, wherein in
the case where the aspect size ratio of said the first image is out of a predetermined range,
said image obtaining means obtains said the second and third images.

11. (Currently Amended) An apparatus according to claim 9, wherein
said reducing means reduces said the second and third images at the different reduction
ratios so that said the second and third images after completion of the reduction go in an
image frame of a predetermined size, respectively.

12. (Currently Amended) An apparatus according to claim 9, wherein
said reducing means reduces said the second image at a same reduction ratio in both

vertical and lateral directions of said the second image, reduces said the third image at a reduction ratio larger than that of said the second image in the direction corresponding to the longitudinal direction of said the first image between the vertical and lateral directions of said the third image, and reduces said the third image at a same reduction ratio as that of said the second image in the other direction.

13. (Currently Amended) An apparatus according to claim 9, wherein

A ↴
said 'image obtaining means obtains said the second image from said the arbitrary area portion of said the first image.

14. (Currently Amended) An apparatus according to claim 9, wherein
said the arbitrary area portion includes a [[mid]] middle section of said the first image.

15. (Currently Amended) An apparatus according to claim 9, wherein
said image obtaining means picks out said the second image having a size of a $(a < A) \times B$ from said the first image, where[[,]]

$A[::]$ is size in the longitudinal direction between the vertical and lateral directions of said the first image, and

$B[::]$ is size in the minor direction of said the first image.

16. (Original) An apparatus according to claim 9, further comprising
display means for displaying reduced images obtained by said reducing means.

17. (Original) An apparatus according to claim 16, wherein said display means displays a list of a plurality of reduced images obtained by said reducing means.

18. (Currently Amended) An image processing system to which a plurality of units of equipment are connected so that they can communicate, wherein at least one of said plurality of units of equipment has a function of an image processing apparatus, and said image processing apparatus comprises:

image obtaining means for obtaining a second image of a predetermined aspect size ratio from a first image on the basis of an aspect size ratio of said the first image; [[and]]

reducing means for reducing the second image obtained by said image obtaining means; and

associating means for associating the second image reduced by said reducing means with the first image.

19. (Currently Amended) An image processing method which can manage a plurality of images and display a list by using reduced images of said the images, comprising:

a generating step, of, when a target image is an elongated image whose aspect ratio is larger than a first predetermined value, generating a reduced image of an aspect ratio of a second predetermined value from an arbitrary area portion of said the target image; [[and]]

a display step, of displaying the reduced image of the aspect ratio of said the
second predetermined value generated in said generating step; and
an associating step, of associating the reduced image with the target image.

20. (Currently Amended) A method according to claim 19, wherein said
the second predetermined value includes said the first predetermined value.

21. (Currently Amended) A method according to claim 19, wherein in
said generating step, a same reduction ratio is set in both vertical and lateral directions of
said the reduced image.

22. (Currently Amended) A method according to claim 19, wherein
specific marks are added to one or a plurality of upper, lower, right, and left positions of
said the reduced image of the aspect ratio of said the second predetermined value.

23. (Currently Amended) A method according to claim 22, wherein said
the specific marks are added to both ends in the longitudinal direction of said the reduced
image of the aspect ratio of said the second predetermined value.

24. (Currently Amended) A method according to claim 22, wherein in
said generating step, the reduced image to which said the specific marks were added is used
as a reduced image for display.

25. (Currently Amended) An image processing method which can manage a plurality of images and display a list by using reduced images of said the images, comprising:

a generating step, of, when a target image is an elongated image whose aspect ratio is larger than a predetermined value, generating a reduced image of said the target image by making reduction ratios in the vertical and lateral directions different in an arbitrary area portion and the other area portion of said the target image; [[and]]

a display step, of displaying the reduced image generated in said the generating step; and

an associating step, of associating the reduced image with the target image.

26. (Currently Amended) A method according to claim 25, wherein said generating step includes the steps of:

reducing said the arbitrary area portion at a same reduction ratio in both vertical and lateral directions;

when said the target image is a laterally-wide image, setting the reduction ratio in the lateral direction in said the other area portion to be larger than that in the vertical direction, making the reduction ratio in the vertical direction identical to that of said the arbitrary area portion, and reducing said the image; and

when said the target image is a vertically-long image, making the reduction ratio in the lateral direction in said the other area portion identical to that in said the

arbitrary area portion, setting the reduction ratio in the vertical direction to be larger than that in the lateral direction, and reducing said the image.

27. (Currently Amended) A method according to claim 19, wherein said the arbitrary area portion includes a mid section of said the target image.

28. (Currently Amended) A method according to claim 19, wherein said the arbitrary area portion includes an area having a size of $a (a < A) \times B$, where[[,]]
 $A[:]$ is size in the longitudinal direction between the vertical and lateral directions of said the target image, and
 $B[:]$ is size in the minor direction of said the target image.

29. (Currently Amended) A storage medium which stores a computer-readable program, wherein said program realizes an image processing method comprising:
a generating step, of, when a target image is an elongated image whose aspect ratio is larger than a first predetermined value, generating a reduced image of an aspect ratio of a second predetermined value from an arbitrary area portion of said the target image; [[and]]
a display step, of displaying the reduced image of the aspect ratio of said the second predetermined value generated in said generating step; and
an associating step, of associating the reduced image with the target image.

30. (Currently Amended) A storage medium which stores a computer-readable program, wherein said program realizes an image processing method comprising:

R /
new

a generating step, of, when a target image is an elongated image whose aspect ratio is larger than a predetermined value, generating a reduced image of said the target image by making reduction ratios in the vertical and lateral directions different in an arbitrary area portion and the other area portion of said the target image; [[and]]

a display step, of displaying the reduced image generated in said the generating step; and

an associating step, of associating the reduced image with the target image.
